

室外 単位:  $\mu$ SV/h

雑草地中央左/H-6		雑草地中央/H-7		雑草地右/H-8	
1.23	0.85	0.55	0.57	0.79	1.32
0.91	0.68	0.84	0.60	0.90	0.80
0.82	0.71	0.88	0.72	0.72	0.85

野原境界/H-1		野原境界/H-2		野原境界/H-3		野原境界/H-4		野原境界/H-5	
0.60	0.68	0.92	1.04	1.03	1.01	1.23	1.04	1.28	1.06
0.51	0.65	0.78	0.61	0.68	0.61	0.72	0.61	0.63	0.55
0.49	0.65	0.62	0.56	0.58	0.61	0.50	0.67	0.54	0.58

北側屋根		南側屋根	
0.25	0.23	0.29	0.21

東1F壁流し	
0.43	0.29

非常階段滑り台下/D-5		非常階段中踊り場/D-6		北2F階段踊り場/D-7		北2F階段出入口/D-8	
1.20	0.44	0.62	0.64	0.65	0.54	0.43	0.26
0.52	0.43	0.41	0.44	0.50	0.34	0.25	0.22
0.45	0.42	0.54	0.34	0.50	0.38	0.24	0.25

U字溝/D2下		U字溝/D3下		U字溝/D4下		U字溝/D9下		U字溝/D10下	
2.03	1.09	1.50	0.96	1.62	0.89	1.49	1.01	1.75	1.01

寄せ枦	
1.97	1.85

雨樋/非常階段中央	
0.69	0.46

南1F壁/A-1		南1F壁/A-2		南1F壁/A-3		南1F壁/A-4		南1F壁/A-5		南1F壁/A-6	
0.37	0.40	0.38	0.23	0.40	0.24	0.60	0.44	0.54	0.50	0.65	0.61
0.28	0.31	0.26	0.17	0.20	0.21	0.35	0.23	0.42	0.35	0.32	0.31
0.32	0.23	0.30	0.17	0.24	0.21	0.31	0.31	0.42	0.30	0.32	0.23

北1F壁/D-1		北1F壁排出口脇/D-2		北1F壁排出口脇/D-3		北1F壁排出口脇/D-4		北1F壁排出口脇/D-5		北1F壁/D-10	
0.75	0.74	0.65	0.53	0.66	0.46	0.65	0.33	0.56	0.41	0.71	0.50
0.68	0.60	0.49	0.40	0.55	0.40	0.52	0.29	0.51	0.29	0.47	0.47
0.49	0.61	0.43	0.45	0.41	0.38	0.51	0.55	0.50	0.33	0.49	0.31

東1F壁/C-1		東1F壁/C-2		東1F壁/C-3		東1F壁/C-4		東1F壁/C-5		東1F壁/C-6	
0.50	0.34	0.55	0.46	0.80	0.78	0.60	0.60	0.58	0.50	0.83	0.68
0.33	0.34	0.40	0.32	0.49	0.54	0.40	0.42	0.45	0.43	0.54	0.40
0.37	0.38	0.37	0.25	0.44	0.48	0.41	0.3	0.32	0.37	0.39	0.41

西1F壁/E-1		西1F壁/E-2		西1F壁/E-3	
0.90	0.50	0.77	0.61	0.74	0.49
0.37	0.30	0.48	0.24	0.32	0.28
0.36	0.38	0.36	0.32	0.35	0.32

玄関/E-4		西1F壁/E-5		西1F壁/E-6	
0.32	0.21	0.32	0.22	0.26	0.23
0.21	0.17	0.24	0.22	0.39	0.26
0.21	0.29	0.29	0.17	0.30	0.35

南門扉コンクリート/A-7	
0.70	0.28
0.49	0.40
0.47	0.40

花壇/G-1		花壇/G-2	
0.64	0.31	0.67	0.30
0.43	0.30	0.52	0.34
0.39	0.32	0.44	0.36

アスファルト通路/J-1		アスファルト通路/J-2		アスファルト通路/J-3	
0.60	0.33	0.55	0.41	0.35	0.29
0.43	0.25	0.26	0.33	0.28	0.24
0.28	0.24	0.32	0.23	0.22	0.26

園庭A		園庭B		園庭C		園庭D		園庭E		園庭F		園庭G		園庭H		園庭I	
0.25	0.21	0.30	0.17	0.33	0.18	0.26	0.18	0.24	0.13	0.25	0.21	0.46	0.18	0.55	0.18	1.10	0.20
0.28	0.30	0.30	0.20	0.28	0.20	0.35	0.30	0.27	0.25	0.27	0.30	0.52	0.40	0.58	0.28	0.60	0.25
0.32	0.45	0.30	0.29	0.30	0.25	0.36	0.30	0.28	0.38	0.28	0.27	0.56	0.36	0.56	0.28	0.56	0.32

園庭花壇レガAz-1		Az-2		Az-3		Az-4		Az-5		Az-6		Az-7		Az-8		Az-9		Az-10		Az-11	
0.40	0.20	0.40	0.25	0.44	0.22	0.40	0.20	0.55	0.30	0.50	0.3	0.50	0.30	0.55	0.23	0.50	0.28	0.50	0.27	0.70	0.27

追加測定: 南通路花壇地表

Z-1		Z-2		Z-3		Z-4	
0.27	0.26	0.29	0.18				
0.29	0.29	0.31	0.21				
0.34	0.31	0.28	0.24				

	個別			
	除染前	除染後	低減量	低減率
5cm	0.86	0.91	-0.06	-6.6%
1m	0.88	0.69	0.19	21.5%
2m	0.81	0.76	0.05	5.8%
5cm	1.01	0.97	0.05	4.5%
1m	0.66	0.61	0.06	8.7%
2m	0.55	0.61	-0.07	-12.5%
	0.27	0.22	0.05	18.5%
			0.14	32.6%
5cm	0.73	0.47	0.26	35.2%
1m	0.42	0.36	0.06	14.9%
2m	0.43	0.35	0.09	19.7%
総計	0.53	0.39	0.13	25.5%
	1.68	0.99	0.69	40.9%

5cm	0.48	0.30	0.18	37.6%
1m	0.30	0.21	0.09	30.2%
2m	0.30	0.20	0.10	33.0%
5cm	0.63	0.41	0.22	34.5%
1m	0.54	0.33	0.21	38.5%
2m	0.44	0.39	0.06	12.5%
5cm	0.62	0.45	0.17	27.8%
1m	0.41	0.34	0.07	17.0%
2m	0.39	0.30	0.09	23.3%
5cm	0.80	0.53	0.27	33.6%
1m	0.39	0.27	0.12	29.9%
2m	0.36	0.34	0.02	4.7%

西壁合計					壁合計							
5cm	0.30	0.22	0.08	26.7%	0.55	0.38	0.18	31.7%	0.57	0.38	0.19	32.7%
1m	0.28	0.22	0.06	22.6%	0.34	0.25	0.09	26.9%	0.40	0.28	0.11	28.9%
2m	0.27	0.27	0.00	-1.2%	0.31	0.31	0.01	2.1%	0.36	0.30	0.06	17.4%

			0.42	60.0%
			0.09	18.4%
			0.07	14.9%
5cm	0.44	0.20	0.23	53.4%
1m	0.32	0.21	0.10	32.6%
2m	0.28	0.23	0.05	18.1%
5cm	0.50	0.34	0.16	31.3%
1m	0.32	0.27	0.05	15.5%
2m	0.27	0.24	0.03	11.0%

よつば保育園

	よつば保育園			
	北境界線	北隣地 草地中央	西側側辺	東側 道路沿い
5cm	0.80	1.59~1.73	-	-
	1.00	表土剥ぎなし	-	-
	-25.1%	0%	-	-
1m	0.92	1.15~1.30	1.10~1.20	1.10~1.20
	0.83	0.95~1.10	0.95~1.05	0.89~0.95
	9.3%	16%	13%	17%
2m	1.28			
	0.74			
	42.7%			

5cm	0.42	0.18	0.23	56.1%
1m	0.38	0.28	0.11	28.1%
2m	0.39	0.32	0.07	17.6%

0.49	0.26	0.24	48.2%
------	------	------	-------

**室内1F**

南	保育室A18		保育室B/19		保育室C/20		5cm 1m 2m	0.22 0.28 0.30	0.19 0.21 0.23	0.02 0.07 0.08	10.8% 24.1% 25.3%										
	0.20	0.18	0.24	0.19	0.21	0.21															
	0.30	0.20	0.27	0.23	0.26	0.20															
	0.34	0.26	0.31	0.21	0.26	0.21															
	南窓際/3		南窓際/4		南窓際/5		5cm 1m 2m	0.16 0.24 0.26	0.16 0.21 0.31	0.00 0.03 -0.05	-2.1% 13.9% -17.7%	0.19 0.26 0.28	0.18 0.21 0.27	0.01 0.05 0.02	5.3% 19.4% 5.3%						
	0.18	0.15	0.14	0.19	0.16	0.15															
	0.21	0.21	0.26	0.20	0.25	0.21															
	0.27	0.29	0.27	0.31	0.25	0.33															
北	1F廊下/15		1F廊下/14		1F廊下/13		1F廊下/12		5cm 1m 2m	0.24 0.35 0.40	0.15 0.25 0.33	0.10 0.10 0.07	40.2% 28.4% 18.8%								
	0.20	0.15	0.23	0.13	0.24	0.15	0.30	0.15													
	0.34	0.26	0.40	0.23	0.34	0.22	0.33	0.30													
	0.42	0.36	0.47	0.40	0.35	0.22	0.36	0.32													
東	東トイレ窓際/10		東窓際/9		東窓際/8		東窓際/6		階段中踊り場/23		5cm 1m 2m	0.24 0.36 0.45	0.23 0.28 0.40	0.01 0.08 0.05	4.2% 22.8% 10.7%						
	0.28	0.23	0.15	0.17	0.12	0.18	0.17	0.15	0.24	0.19											
	0.45	0.33	0.20	0.24	0.27	0.13	0.27	0.24	0.26	0.18											
	0.48	0.45	0.26	0.33	0.37	0.30	0.29	0.30	0.38	0.21											
中央	保育室A/16		保育室A/17						5cm 1m 2m	0.19 0.25 0.26	0.15 0.19 0.23	0.04 0.06 0.04	20.9% 24.9% 13.7%								
	0.26	0.16	0.17	0.12																	
	0.30	0.20	0.27	0.20																	
	0.29	0.29	0.32	0.25																	
西	玄関フロア/1		西窓際/2						5cm 1m 2m	0.18 0.21 0.23	0.13 0.17 0.20	0.05 0.04 0.03	27.8% 17.1% 13.3%								
	0.18	0.12	0.18	0.14																	
	0.21	0.15	0.20	0.19																	
	0.21	0.15	0.24	0.24																	
中央	保育室A中央/21		保育室C中央/22		調乳室/23		調理室中央/47		室内中央/7		食在庫/11		5cm 1m 2m	0.19 0.25 0.26	0.15 0.19 0.23	0.04 0.06 0.04	20.9% 24.9% 13.7%				
	0.21	0.12	0.14	0.12	0.10	0.11	0.17	0.14	0.19	0.12	0.29	0.32									
	0.24	0.14	0.24	0.15	0.18	0.13	0.19	0.17	0.21	0.15	0.38	0.37									
	0.30	0.18	0.24	0.21	0.16	0.14	0.20	0.17	0.24	0.21	0.36	0.37									

**室内2F**

南	保育室D/41		保育室D/40		保育室E/38		5cm 1m 2m	0.19 0.24 0.26	0.17 0.21 0.24	0.03 0.03 0.02	13.8% 12.3% 8.9%								
	0.18	0.20	0.21	0.17	0.19	0.13													
	0.24	0.21	0.28	0.25	0.21	0.18													
	0.27	0.23	0.26	0.25	0.26	0.24													
	保育室G/26		保育室G/27						5cm 1m 2m	0.18 0.25 0.28	0.21 0.25 0.26	-0.03 0.01 0.02	-16.7% 2.0% 7.1%	0.19 0.25 0.27	0.19 0.23 0.25	0.00 0.02 0.02	-0.9% 7.1% 8.0%		
	0.18	0.21	0.18	0.21															
	0.26	0.25	0.24	0.24															
	0.29	0.28	0.27	0.24															
北	2F廊下/44		2F廊下/39		2F廊下/37		2F廊下/45		保育室F/36		5cm 1m 2m	0.19 0.25 0.27	0.16 0.23 0.28	0.03 0.02 -0.01	16.0% 6.5% -4.4%				
	0.19	0.17	0.19	0.17	0.19	0.19	0.18	0.12	0.19	0.14									
	0.23	0.27	0.24	0.25	0.22	0.17	0.20	0.24	0.34	0.22									
	0.27	0.27	0.22	0.24	0.30	0.23	0.20	0.29	0.36	0.38									
東	保育室F/35		トイレ出入口/33		保育室G/28						5cm 1m 2m	0.22 0.29 0.30	0.19 0.19 0.28	0.03 0.10 0.02	14.9% 35.2% 7.7%				
	0.27	0.18	0.21	0.18	0.19	0.21													
	0.30	0.20	0.34	0.13	0.24	0.24													
	0.28	0.35	0.36	0.25	0.27	0.24													
西	保育室D/43		西ベランダ出口/25						5cm 1m 2m	0.23 0.26 0.26	0.16 0.21 0.25	0.07 0.05 0.01	28.9% 19.2% 3.9%						
	0.20	0.16	0.25	0.16															
	0.26	0.19	0.26	0.23															
	0.26	0.23	0.25	0.26															
中央	保育室D中央/42		2F廊下/34		2F廊下/24		保育室F中央/46		保育室G/29		5cm 1m 2m	0.15 0.20 0.24	0.13 0.17 0.19	0.02 0.03 0.05	12.2% 15.8% 19.8%				
	0.19	0.14	0.10	0.14	0.11	0.13	0.17	0.10	0.17	0.14									
	0.23	0.18	0.12	0.16	0.24	0.19	0.21	0.18	0.21	0.14									
	0.27	0.19	0.18	0.14	0.25	0.18	0.27	0.23	0.24	0.23									
ベランダ	西ベランダ/30		西ベランダ/31		西ベランダ隅/32						5cm 1m 2m	0.46 0.31 0.33	0.34 0.28 0.26	0.12 0.03 0.07	25.9% 9.7% 20.2%				
	0.60	0.40	0.50	0.38	0.29	0.25													
	0.30	0.33	0.38	0.31	0.25	0.20													
	0.40	0.25	0.32	0.30	0.27	0.24													